

Nasco Agro Products

Address: 53-55 Block-B, Road -3, Niketon, Gulshan-1, Dhaka

Phone: +880 1841-313036

Email: support@nascoagro.com

Product Name: HIPRAGUMBORO® BPL2

Excerpt: Inactivated vaccine, Gumboro disease and Newcastle disease, in injectable emulsion

Category: HIPRA

Description:

COMPOSITION:

PER DOSE:

Inactivated Gumboro disease virus, W2512 strain: ? 357 ELISA? Inactivated Newcastle disease virus, La Sota strain: 1/16 HAI. Oilbased adjuvant.

INDICATIONS:

Breeders: Prevention of Gumboro disease and Newcastle disease.

ADMINISTRATION ROUTE:

Intramuscular, in the breast muscle or subcutaneous, in the middorsal area of the neck.

- If inoculation by subcutaneous route is not done properly and it is performed by intradermic route, it may produce a regional oedema of favourable evolution.
- Administer the vaccine when it is at room temperature between +15 and +25°C.
- Shake well before and during administration.

DOSAGE:

Breeders: 0.5 ml/bird.

- It is recommended to vaccinate two weeks before laying.

WITHDRAWAL TIME:

0 days.

SPECIAL PRECAUTIONS:

- Store at +2 to +8 °C, avoiding freezing.

PACKAGING:

1,000 dose bottle.

Under veterinary prescription